

**MAKE
IDEAL SPACE**

**WALL & FLOOR
TILES CONCEPTS**

**DIGITAL
GLAZED
VITRIFIED
TILES**

NEW WAY TO DESIGN YOUR HOME.

TILES TURNING WALL & FLOOR INTO SINGLE CANVAS

Years of experience has taught us to see beyond the usual. Digital vitrified tiles are our forte as advanced technology leads to produce more innovative home decor solutions at our Morbi (Gujarat, India) based plant. Commitment towards the qualitative production and keen eye for stylish living is what is keeping us favorite among our peers.



**DIGITAL
GLAZED
VITRIFIED
TILES**

800x800mm | 1400x800mm

PRODUCT
CATALOGUE
2018



EMBRACE
THE
NEWNESS

TAKING YOUR SPACE TO THE NEXT LEVEL.

DIGITAL
GLAZED
VITRIFIED
TILES

800x
800mm



CULTIVATING
NEW
LOOKS!

Expectation of today's consumer to find durability, savings and Earth friendliness is here. Style and beauty that you can't miss.

Wall and Floor Tiles Random Design Min. 3mm Joint Recommended



Botticino Arena

Phase 5



Botticino Crossa

Phase 5



Daina Light

Phase 3




Ocean White

Phase 4



Daina Gold

Phase 3



Sigma Crema

Phase 1

GLOSSY

FINISH

DIGITAL
GLAZED
VITRIFIED
TILES



800x800mm

Preview of - Ocean White

DIGITAL
GLAZED
VITRIFIED
TILES

800 x 800 mm

GLOSSY
FINISH



Gold Onyx

Phase 5




Ice Onyx

Phase 4



Lime Onyx

Phase 3



Silver Onyx

Phase 5



Onice Bianco

Phase 3



Andi Onyx

Phase 4

Wall and Floor Tiles Random Design Min 3mm Joint Recommended




Ethics Beige

Phase 5



Empire Crema

Phase 4



Liberty Crema

Phase 4



Mythos Crema

Phase 3



Pulpis Crema

Phase 6



Dalna Crema

Phase 5

Wall and Floor Tiles Random Design Min. 3mm Joint Recommended



Calacatta White

Phase 5



Carara White

Phase 5



Carara Absolute

Phase 6




Classic Statuario

Phase 5



Royal Statuario

Phase 4



Snow White

Phase 1

GLOSSY
FINISH

DIGITAL
GLAZED
VITRIFIED
TILES



800x800mm

Preview of - Carara Absolute

800x800mm



Mekense Bianco

Phase 4



Avario Gris

Phase 4




Marmo Crema

Phase 5



Texas Blanco

Phase 4



Senorita Blanco

Phase 5



Senorita Choco

Phase 5

Wall and Floor Tiles

Random Design

Min. 3mm Joint Recommended



Fusion Copper

Phase 4



Emperador Choco

Phase 4




Jesalmer

Phase 4



Octa Brown

Phase 5



Veronica Crema

Phase 3



Veronica Copper

Phase 4



Wall and Floor Tiles



Random Design



Min. 3mm Joint Recommended



Rivera Choco

Phase 5



Rivera Beige

Phase 5



Riverstone Blanco

Phase 4



Riverstone Gris

Phase 4



Royal Blue

Phase 4

GLOSSY
FINISH

DIGITAL
GLAZED
VITRIFIED
TILES



Preview of - Riverstone Gris

800x800mm



Wall and Floor Tiles



Random Design



Min. 3mm Joint Recommended



Travertine Gold

Phase 4



Travertine

Phase 4



Water Stone

Phase 4



Xian Copper

Phase 4



Volga Bianco

Phase 4



Volga Blue

Phase 4

GLOSSY

FINISH

DIGITAL
GLAZED
VITRIFIED
TILES



800 x 800 mm

Preview of - Travertine Gold



Wall and Floor Tiles



Random Design



Min. 3mm Joint Recommended




Alfa Brown

Phase 4




Berlin Gris

Phase 4



Armani Blue

Phase 4



Armani Brown

Phase 4

HIGH GLOSSY


FINISH

DIGITAL
GLAZED
VITRIFIED
TILES

800x800mm




Wall and Floor Tiles Random Design Min. 3mm Joint Recommended




Black Rose

Phase 4



Flurry Brown

Phase 5



Polaris Choco

Phase 4



Spiral Choco

Phase 4



Teracotta

Phase 4

HIGH GLOSSY

FINISH

DIGITAL
GLAZED
VITRIFIED
TILES



800 X 800 mm

Preview of - Black Rose

Wall and Floor Tiles | Random Design | Min. 3mm Joint Recommended



Aldo Blue

Phase 4




Black Nero

Phase 4



Ebony Gray

Phase 4



Embryo Gold

Phase 4



Odra Deck

Phase 4



Optimus Nero

Phase 5

SUGAR

FINISH

DIGITAL
GLAZED
VITRIFIED
TILES



800 x 800 mm

Preview of - Ebony Gray



Wall and Floor Tiles



Random Design



Min. 3mm Joint Recommended



Pedra Moss

Phase 4



Sierra Onyx

Phase 51



Travino Crema

Phase 5



Travino Choco

Phase 5



Tiger Onyx

Phase 4

SUGAR

FINISH

DIGITAL
GLAZED
VITRIFIED
TILES



800 X 800 MM

Preview of - Pedra Moss



Wall and Floor Tiles



Random Design




Min. 3mm Joint Recommended



Cemento Choco

Phase 8




Cemento Crema

Phase 8



Cemento Gold

Phase 8



Cemento Gris

Phase 8



Cemento Silver

Phase 8

RUSTIC

FINISH

DIGITAL
GLAZED
VITRIFIED
TILES



800 x 800 mm

DIGITAL
GLAZED
VITRIFIED
TILES

RUSTIC
FINISH

800x800mm



Desert Black

Phase 4



Desert Blanco

Phase 4



Desert Choco

Phase 4



Desert Crema

Phase 4



Opel White


Phase 5



Oslo Bianco

Phase 4

 Wall and Floor Tiles
  Random Design
  Min. 3mm Joint Recommended



Sandy Grey

Phase 4



Timber Wenge

Phase 5



Preview of - Timber Wenge

F O L L O W
T H E
F A N T A S Y

CRAFTSMANSHIP IS AIMED TOWARDS PERFECTION AND QUALITY

DIGITAL
GLAZED
VITRIFIED
TILES

400x
800mm



I D E A S
B E A U T I F U L L Y
E X P R E S S E D !

New fashion eye to a new generation of innovative resilient flooring options. Make your space stand out.

PRODUCT
CATALOGUE
2018



Wall and Floor Tiles



Random Design



Min. 3mm Joint Recommended



Calcata White

Phase 12



Classic Statuario

Phase 10



Carara Absolute

Phase 7



Breccia Aurora

Phase 8



Emprador Crema

Phase 8



Emprador Choco

Phase 8



Empra Light

Phase 16




Empra Dark

Phase 16

GLOSSY

FINISH

DIGITAL
GLAZED
VITRIFIED
TILES



400 x 800 mm

DIGITAL
GLAZED
VITRIFIED
TILES

GLOSSY
FINISH

400 x 800 mm



Daina Bronz Phase 10



Daina Bloom Phase 7



Crystal White Phase 10




Crystal Gris Phase 10




Granite Crema Phase 4



Granite Choco Phase 4



Granite White Phase 4




Granite Gray Phase 4

Wall and Floor Tiles | Random Design | Min. 3mm Joint Recommended



Carbon Bianco Phase 15




Carbon Gray Phase 15



Italian Beige Phase 12



Italian Nero Phase 12



Riverstone Bianco Phase 9



Riverstone Gris Phase 9




Senorita Bianco Phase 5



Senorita Choco Phase 5

Wall and Floor Tiles | Random Design | Min. 3mm Joint Recommended



Pacific Blanco

Phase 9



Pacific Gris

Phase 9




Stonex Crema

Phase 3



Stonex Brown

Phase 3



Veronica Crema

Phase 9



Veronica Copper

Phase 9




Travertine

Phase 8

GLOSSY FINISH

DIGITAL
GLAZED
VITRIFIED
TILES

400 x 800 mm



**DIGITAL
GLAZED
VITRIFIED
TILES**

GLOSSY
FINISH

400 x 800 mm



Simoga Bianco Phase 3



Simoga Verde Phase 3



Simoga Crema Phase 3



Simoga Brown Phase 3



Zibra Bianco Phase 6



Zibra Nero Phase 6



Zibra Crema Phase 6



Zibra Choco Phase 6

Wall and Floor Tiles |
 Random Design |
 Min. 3mm Joint Recommended



Rivera Crema Phase 10



Rivera Choco Phase 10



**DIGITAL
GLAZED
VITRIFIED
TILES**


400 x 800 mm



Armeni Blue Phase 8




Armeni Brown Phase 8



Black Marmo Phase 10



Black Porro Phase 10



Black Rose Phase 8



Empre Choco Phase 7



Glasier Rose Phase 8



Dynamic Gold Phase 8

HIGH GLOSSY
FINISH

Wall and Floor Tiles Random Design Min. 3mm Joint Recommended



Teracotta Phase 8



Velvet Blue Phase 12



DIGITAL
GLAZED
VITRIFIED
TILES

SUGAR
FINISH


400 x 800 mm




Aldo Bianco Phase 8



Aldo Blue Phase 8




Light Nero Phase 8



Black Nero Phase 8



Penther Beige Phase 8



Penther Brown Phase 8



Travino Crema Phase 10



Travino Choco Phase 10

Wall and Floor Tiles Random Design Min. 3mm Joint Recommended



Sandora Crema Phase 9



Sandora Brown Phase 9



Rust Bianco Phase 9



Rust Nero Phase 9



Wall and Floor Tiles Random Design Min. 3mm Joint Recommended



Habitat Blanco

Phase 10



Sahara White

Phase 10



Habitat Decor

Phase 1



Sahara Decor

Phase 1



Habitat Verde

Phase 10



Sahara Gray

Phase 10



Travertino Crema

Phase 10



Natural Travertino

Phase 10

CARVING FINISH

DIGITAL
GLAZED
VITRIFIED
TILES



400 x 800 mm

Wall and Floor Tiles Random Design Min. 3mm Joint Recommended



Crystal Light

Phase 10



Crystal Decor 1

Phase 1



Crystal Decor 2

Phase 1

CARVING FINISH

DIGITAL
GLAZED
VITRIFIED
TILES

400 x 800 mm



Wall and Floor Tiles | Random Design | Min. 3mm Joint Recommended



Boston Gray

Phase 9



Forest Crema

Phase 9



Boston Decor

Phase 2



Forest Decor

Phase 1



Boston Black

Phase 9



Forest Brown

Phase 9



Canvas Crema

Phase 1



Canvas Decor

Phase 1

RUSTIC

FINISH

DIGITAL
GLAZED
VITRIFIED
TILES

400 x 800 mm



TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP B1a	OUR VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness (ONLY FOR PGVT)	As per mfg	Min 90%	GLOSSOMETER
STRUCTURAL PROPERTIES			
Water absorption	< 0.50 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 ⁻⁶	Max. 6.5 x 10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield Pb & Cd	ISO-10545-15



PACKAGING DETAIL

Size	Thickness (approx.)	Tiles Per Box	Coverage Area (approx.)	Wt. Kgs. (approx.)
800x800 mm	10 mm	3 pcs.	1.92 sq. mtr	40 kg.
400x800 mm	8 mm	5 pcs.	1.60 sq. mtr	28 kg.