



sairam[®]

CERA INTERNATIONAL LLP

✉ info@sairamcera.com 🌐 www.sairamcera.com

☎ +91 851103 8803





Calce
Bianco

Calce
Grey

Calce
Avorio

Calce
Brown

Size
800x1600mm

Surface
Matt

04 Random, 04 Color,
9mm Thickness



1-Evon Grey

2-Evon White





Size
800x1600mm

Surface
Matt



03 Random, 02 Color,
9mm Thickness

Evon
Grey

Evon
White

Sand Grey



Size
800x1600mm

Surface
Matt

04 Random, 03 Color,
9mm Thickness



Sand
Grey

Sand
Beige

Sand
Nero



1-Victoria Brown

2-Victoria Crema



Victoria
Brown



Victoria
Crema



Victoria
Grey



Size
800x1600mm

Surface
Matt

04 Random, 03 Color,
9mm Thickness







Size
800x1600mm

Surface
Matt

03 Random, 01 Color,
9mm Thickness



Kinder
Bruno



Boston
Brown



Boston
Choco



Size
800x1600mm

Surface
Matt



06 Random, 02 Color,
9mm Thickness



Technical Specification

CHARACTERISTICS	STANDARD AS PER ISO-13006/En14411 GROUP	VALUES	TEST METHOD
REGULATORY PROPERTIES			
Deviation in Lenth & Width	0.50%	0.20%	ISO - 10545-2
Deviation in Thickness	0.50%	0.50%	ISO - 10545-2
Straightness of Sides	0.50%	0.20%	ISO - 10545-2
Rectangularity	0.50%	0.20%	ISO - 10545-2
Surface Flatness	0.50%	0.20%	ISO - 10545-2
Color Difference	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	>90%	Glossmeter
STRUCTURAL PROPERTIES			
Water Absorption	<0.05%	<0.05%	ISO - 10545-3
Apparent Density	>2.00 g/cc	>2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of Repture	Min 35N/MM2	Min 40N/MM2	ISO - 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5
SURFACE MECHANICAL PROPERTIES			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion	Max 9.0x10 -6	Max 6.5x10 -6	ISO - 10545-08
Cr crazing Resistance	As per Mfg.	Min 10 Cycle	ISO - 10545-11
CHEMICAL PROPERTIES			
Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14
SAFETY PROPERTIES			
Slip Resistance	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	Fire Proof	N.A.

Packing Detail

SIZE (in mm)	THICKNESS APPROX	PIECES / PER BOX	COVERAGE AREA IN SQ. FT	BOX WEIGHT (APPROX.)
800X1600	9 MM	2	27.55	52 KG



📍 Plot No.15, Dharmsiddhi Estate,
Near Nalanda School,
Rajkot-Morbi Highway,
Virpar,
Morbi-363 641.INDIA.

✉ info@sairamcera.com

☎ +91 851103 8803

🌐 www.sairamcera.com